

Utjecaj sjevernoatlantske oscilacije na proljetne temperature tla u Hrvatskoj

T. Stilinović, I. Herceg Bulić, V. Vučetić



Tomislav Stilinović
Prirodoslovno-matematički fakultet, Geofizički odsjek
tomislav.stilinoVIC@gmail.com

22. studenog 2013.




Uvod

- NAO - eng. North Atlantic Oscillation
- Lisabon (Portugal) - Stykkisholmur/Reykjavik (Island)

North Atlantic Oscillation



<http://www.newx-forecasts.com/>




Predmet istraživanja

- NAO \Rightarrow temperatura tla

Materijali i metode

- Srednje mjesečne temperature tla, 1961.-2012.
- 14 postaja




- Pearsonov koeficijent korelacije
- Dvostrani t-test
- $N = 50, \alpha = 0.05 \Rightarrow r = 0.278$

- Državni hidrometeorološki zavod
- The National Center for Atmospheric Research


Rezultati

- Srednje sezonske vrijednosti
 - ožujak-travanj (MA - eng. March-April)
 - travanj-svibanj (AM - eng. April-May)


$r(\text{NAO}, t_g)$ na dubini od 2 cm




$r(\text{NAO}, t_g)$ na dubini od 5 cm




$r(\text{NAO}, t_g)$ na dubini od 10 cm




$r(\text{NAO}, t_g)$ na dubini od 20 cm




$r(\text{NAO}, t_{\text{g}})$ na dubini od 30 cm



$r(\text{NAO}, t_{\text{g}})$ na dubini od 50 cm



$r(\text{NAO}, t_{\text{g}})$ na dubini od 100 cm



Zaključak

- NAO \Rightarrow vlažnost tla \Rightarrow temperatura tla
- Vremenski odgođen utjecaj
- Nelinearna distribucija s dubinom